CambridgeExpected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	44.50	28	63 #-	Male	36.43	37	102
Female	20.10	19	95	Female	33.31	24	72
Total	64.61	47	73 #-	Total	69.74	61	87
Brain and Other Ner	vous System			Multiple Myeloma			
Male	17.17	16	93	Male	9.22	11	119
Female	15.37	15	98	Female	9.83	9	92
Total	32.54	31	95	Total	19.05	20	105
Breast				Non-Hodgkin('s) Ly	/mphoma		
Male	2.29	3	NC*	Male	41.41	23	56 ~-
Female	344.30	329	96	Female	40.61	36	89
Total	346.59	332	96	Total	82.02	59	72 ~-
Cervix Uteri				Oral Cavity & Phar	<u>ynx</u>		
				Male	30.14	26	86
Female	21.57	16	74	Female	16.80	14	83
				Total	46.94	40	85
Colon / Rectum				<u>Ovary</u>			
Male	113.06	100	88				
Female	132.41	104	79 #-	Female	40.77	42	103
Total	245.47	204	83 ~-				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	16.56	15	91	Male	20.20	20	99
Female	6.21	5	81	Female	25.48	26	102
Total	22.77	20	88	Total	45.68	46	101
Hodgkin's Disease (Hodgkin Lympho	ma)		<u>Prostate</u>			
Male	10.00	11	110	Male	281.05	312	111
Female	8.52	6	70				
Total	18.52	17	92				
Kidney & Renal Pelv	<u>vis</u>			<u>Stomach</u>			
Male	28.66	27	94	Male	19.94	19	95
Female	20.02	16	80	Female	14.73	16	109
Total	48.68	43	88	Total	34.66	35	101
<u>Larynx</u>				<u>Testis</u>			
Male	14.99	16	107	 Male	18.63	11	59
Female	4.29	4	NC*				
Total	19.28	20	104				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	24.53	20	82	Male	8.47	11	130
Female	22.21	21	95	Female	27.18	31	114
Total	46.73	41	88	Total	35.66	42	118
Liver and Intrahepat				Uteri, Corpus and I			
Male	12.23	10	82				
Female	5.66	7	124	Female	62.61	57	91
Total	17.88	17	95				
Lung and Bronchus				All Sites / Types			
Male	142.19	124	87	Male	958.42	903	94
Female	138.29	106	77 ~-	Female	1090.29	982	90 ^-
				******	-	-	

Total 280.47 230 82 ~- Total 2048.71 1885 92 ^-

CantonExpected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	12.17	14	115	Male	9.29	7	75
Female	4.73	9	190	Female	7.49	7	93
Total	16.90	23	136	Total	16.77	14	83
Brain and Other No	ervous System			Multiple Myeloma			
Male	4.26	4	NC*	Male	2.59	2	NC*
Female	3.61	5	138	Female	2.42	3	NC*
Total	7.87	9	114	Total	5.01	5	100
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma		
Male	0.64	0	NC*	Male	10.36	8	77
Female	85.22	95	111	Female	9.69	16	165
Total	85.86	95	111	Total	20.05	24	120
Cervix Uteri				Oral Cavity & Phary	<u>ınx</u>		
				Male	8.31	4	NC*
Female	4.60	3	NC*	Female	4.13	3	NC*
				Total	12.44	7	56
Colon / Rectum				<u>Ovary</u>			
Male	31.02	43	139 #+				
Female	30.73	54	176 ^+	Female	9.85	12	122
Total	61.76	97	157 ^+				
Esophagus				<u>Pancreas</u>			
Male	4.79	6	125	Male	5.58	8	143
Female	1.46	6	411 ~+	Female	6.03	10	166
Total	6.25	12	192	Total	11.61	18	155
Hodgkin's Disease	(Hodgkin Lympho	oma)		<u>Prostate</u>			
Male	1.94	5	258	Male	85.17	108	127 #+
Female	1.68	2	NC*				
Total	3.62	7	194				
Kidney & Renal Pe				<u>Stomach</u>			
Male	7.92	11	139	Male	5.30	1	NC*
Female	5.04	6	119	Female	3.25	3	NC*
Total	12.95	17	131	Total	8.55	4	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	4.40	3	NC*	Male	3.03	1	NC*
Female	1.18	1	NC*				
Total	5.57	4	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	6.28	10	159	Male	1.89	1	NC*
Female	5.15	11	214 #+	Female	5.56	9	162
Total	11.43	21	184 #+	Total	7.45	10	134
Liver and Intrahep		•	NOT	Uteri, Corpus and U	Iterus, NOS		
Male	3.43	3	NC*		40.00	4-	
Female	1.34	0	NC*	Female	16.36	12	73
Total	4.77	3	NC*				
Lung and Bronchu	<u>IS</u>			All Sites / Types			

108	288	266.46	Male	97	40	41.29	Male
128 ^+	338	263.83	Female	130	47	36.10	Female
118 ^+	626	530.30	Total	112	87	77.39	Total

CarlisleExpected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
Bladder, Urinary				Melanoma of Skin			
Male	3.03	0	NC*	Male	2.42	1	NC*
Female	0.87	0	NC*	Female	1.65	3	NC*
Total	3.91	0	NC*	Total	4.07	4	NC*
Brain and Other Nerv	ous System			Multiple Myeloma			
Male	1.08	3	NC*	Male	0.67	0	NC*
Female	0.75	1	NC*	Female	0.49	0	NC*
Total	1.83	4	NC*	Total	1.16	0	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyi	mphoma		
Male	0.16	0	NC*	Male	2.60	2	NC*
Female	20.01	17	85	Female	1.90	1	NC*
Total	20.17	17	84	Total	4.50	3	NC*
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	2.34	2	NC*
Female	1.03	0	NC*	Female	0.91	0	NC*
				Total	3.24	2	NC*
Colon / Rectum				<u>Ovary</u>			
Male	7.80	1	NC*				
Female	5.59	2	NC*	Female	2.23	2	NC*
Total	13.39	3	NC*				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	1.29	0	NC*	Male	1.45	2	NC*
Female	0.27	0	NC*	Female	1.09	1	NC*
Total	1.56	0	NC*	Total	2.55	3	NC*
Hodgkin's Disease (F	lodgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	0.41	0	NC*	Male	22.84	14	61
Female	0.32	2	NC*				
Total	0.73	2	NC*				
Kidney & Renal Pelvi	<u>s</u>			<u>Stomach</u>			
Male	2.11	1	NC*	Male	1.36	1	NC*
Female	1.08	1	NC*	Female	0.59	0	NC*
Total	3.20	2	NC*	Total	1.95	1	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	1.22	0	NC*	Male	0.51	1	NC*
Female	0.27	0	NC*				
Total	1.49	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	1.57	1	NC*	Male	0.47	0	NC*
Female	1.06	1	NC*	Female	1.22	2	NC*
Total	2.62	2	NC*	Total	1.70	2	NC*
Liver and Intrahepati				Uteri, Corpus and U	terus, NOS		
Male	0.93	0	NC*				
Female	0.25	0	NC*	Female	3.95	2	NC*

Total	1.18	0	NC*				
Lung and Bronchus				All Sites / Types			
Male	10.58	1	NC*	Male	68.95	36	52 ^-
Female	7.50	3	NC*	Female	56.58	39	69 #-
Total	18.08	4	NC*	Total	125.53	75	60 ^-

CarverExpected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	Expe	cteu and Observ	eu case counts, w	illi Standardized ilicidence r	(alios, 1990 – 200	10	
	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	7.68	12	156	Male	5.42	5	92
Female	2.89	5	173	Female	4.19	7	167
Total	10.57	17	161	Total	9.61	12	125
Brain and Other Nerv	ous System			Multiple Myeloma			
Male	2.45	0	NC*	Male	1.57	2	NC*
Female	2.09	1	NC*	Female	1.43	1	NC*
Total	4.54	1	NC*	Total	3.01	3	NC*
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma		
Male	0.37	0	NC*	Male	6.18	11	178
Female	48.06	32	67 #-	Female	5.69	7	123
Total	48.43	32	66 #-	Total	11.88	18	152
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	4.82	12	249 ~+
Female	2.49	1	NC*	Female	2.39	2	NC*
				Total	7.21	14	194 #+
Colon / Rectum				<u>Ovary</u>			
Male	19.17	15	78				
Female	19.06	24	126	Female	5.54	3	NC*
Total	38.23	39	102				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	2.79	5	179	Male	3.43	3	NC*
Female	0.90	2	NC*	Female	3.69	4	NC*
Total	3.69	7	190	Total	7.12	7	98
Hodgkin's Disease (H	lodgkin Lympho	oma)		<u>Prostate</u>			
Male	1.04	1	NC*	Male	48.17	47	98
Female	0.92	1	NC*				
Total	1.95	2	NC*				
Kidney & Renal Pelv	<u>is</u>			<u>Stomach</u>			
Male	4.66	6	129	Male	3.37	3	NC*
Female	2.88	6	208	Female	2.03	2	NC*
Total	7.54	12	159	Total	5.40	5	93
<u>Larynx</u>				<u>Testis</u>			
Male	2.50	4	NC*	Male	1.49	1	NC*
Female	0.65	2	NC*				
Total	3.15	6	190				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	3.87	3	NC*	Male	1.02	2	NC*
Female	3.11	6	193	Female	2.95	4	NC*
Total	6.98	9	129	Total	3.97	6	151
Liver and Intrahepati	c Bile Ducts			Uteri, Corpus and U	terus, NOS		

Male	1.99	0	NC*				
Female	0.82	0	NC*	Female	9.19	6	65
Total	2.81	0	NC*				
Lung and Bronchus				All Sites / Types			
Male	24.07	24	100	Male	156.53	179	114
Female	20.79	30	144	Female	152.93	160	105
Total	44.86	54	120	Total	309.46	339	110

Charlemont Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	Ехр	<u>Obs</u>	SIR		Exp	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	0.82	1	NC*	Male	0.61	0	NC*
Female	0.28	0	NC*	Female	0.44	0	NC*
Total	1.11	1	NC*	Total	1.05	0	NC*
Brain and Other Nervo	us System			Multiple Myeloma			
Male	0.27	0	NC*	Male	0.17	1	NC*
Female	0.21	0	NC*	Female	0.14	0	NC*
Total	0.49	0	NC*	Total	0.32	1	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyn	<u>nphoma</u>		
Male	0.04	0	NC*	Male	0.68	1	NC*
Female	5.13	6	117	Female	0.57	0	NC*
Total	5.18	6	116	Total	1.24	1	NC*
Cervix Uteri				Oral Cavity & Pharyn	<u>ıx</u>		
				Male	0.55	0	NC*
Female	0.26	0	NC*	Female	0.25	1	NC*
				Total	0.80	1	NC*
Colon / Rectum				<u>Ovary</u>			
Male	2.08	0	NC*				
Female	1.84	4	NC*	Female	0.59	0	NC*
Total	3.91	4	NC*				
Esophagus				<u>Pancreas</u>			
Male	0.32	0	NC*	Male	0.37	2	NC*
Female	0.09	0	NC*	Female	0.36	0	NC*
Total	0.40	0	NC*	Total	0.73	2	NC*
Hodgkin's Disease (Ho	dgkin Lympho	oma)		<u>Prostate</u>			
Male	0.11	0	NC*	Male	5.54	4	NC*
Female	0.09	0	NC*				
Total	0.21	0	NC*				
Kidney & Renal Pelvis				<u>Stomach</u>			
Male	0.53	0	NC*	Male	0.36	0	NC*
Female	0.30	0	NC*	Female	0.20	0	NC*
Total	0.82	0	NC*	Total	0.56	0	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.29	1	NC*	Male	0.16	1	NC*
Female	0.07	0	NC*				
Total	0.36	1	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	0.42	0	NC*	Male	0.12	0	NC*
Female	0.32	0	NC*	Female	0.31	0	NC*

Total	0.74	0	NC*	Total	0.43	0	NC*
Liver and Intrahepati	c Bile Ducts			Uteri, Corpus and U	terus, NOS		
Male	0.23	0	NC*				
Female	80.0	0	NC*	Female	0.99	1	NC*
Total	0.31	0	NC*				
Lung and Bronchus				All Sites / Types			
Male	2.71	5	184	Male	17.49	17	97
Female	2.10	4	NC*	Female	15.73	18	114
Total	4.81	9	187	Total	33.22	35	105

Charlton
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	Exp	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	4.79	9	188	Male	4.21	0	NC*
Female	1.61	1	NC*	Female	3.28	4	NC*
Total	6.40	10	156	Total	7.49	4	NC*
Brain and Other Nerv	vous System			Multiple Myeloma			
Male	2.06	2	NC*	Male	1.07	2	NC*
Female	1.56	2	NC*	Female	0.85	0	NC*
Total	3.63	4	NC*	Total	1.93	2	NC*
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma		
Male	0.27	0	NC*	Male	4.61	4	NC*
Female	34.67	42	121	Female	3.61	4	NC*
Total	34.93	42	120	Total	8.22	8	97
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	3.80	2	NC*
Female	2.19	0	NC*	Female	1.59	1	NC*
				Total	5.39	3	NC*
Colon / Rectum				<u>Ovary</u>			
Male	12.41	12	97				
Female	10.45	12	115	Female	4.05	3	NC*
Total	22.86	24	105				
Esophagus				<u>Pancreas</u>			
Male	2.03	1	NC*	Male	2.30	1	NC*
Female	0.50	0	NC*	Female	2.01	3	NC*
Total	2.52	1	NC*	Total	4.31	4	NC*
Hodgkin's Disease (F	Hodgkin Lympho	oma)		<u>Prostate</u>			
Male	1.03	2	NC*	Male	35.09	30	86
Female	0.86	0	NC*				
Total	1.88	2	NC*				
Kidney & Renal Pelv	<u>is</u>			Stomach .			
Male	3.49	7	200	Male	2.16	1	NC*
Female	1.90	3	NC*	Female	1.14	1	NC*
Total	5.39	10	185	Total	3.30	2	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	1.92	1	NC*	Male	1.64	0	NC*
Female	0.43	0	NC*				
Total	2.35	1	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			

Male	2.85	3	NC*	Male	0.94	0	NC*
Female	2.11	2	NC*	Female	2.81	5	178
Total	4.95	5	101	Total	3.75	5	133
Liver and Intrahepat	tic Bile Ducts			Uteri, Corpus and L	Jterus, NOS		
Male	1.51	1	NC*				
Female	0.47	1	NC*	Female	6.45	11	171
Total	1.98	2	NC*				
Lung and Bronchus	<u>i</u>			All Sites / Types			
Male	16.75	11	66	Male	112.08	94	84
Female	12.63	7	55	Female	101.97	111	109
Total	29.38	18	61 #-	Total	214.06	205	96

Chatham
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	11.28	13	115	Male	5.86	16	273 ^+
Female	4.05	8	197	Female	3.93	5	127
Total	15.33	21	137	Total	9.79	21	215 ~+
Brain and Other Nerv	vous System			Multiple Myeloma			
Male	2.26	3	NC*	Male	2.07	0	NC*
Female	1.98	1	NC*	Female	1.84	1	NC*
Total	4.24	4	NC*	Total	3.91	1	NC*
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma		
Male	0.47	0	NC*	Male	7.21	6	83
Female	48.38	67	138 #+	Female	6.79	10	147
Total	48.85	67	137 #+	Total	14.01	16	114
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	4.96	8	161
Female	1.91	1	NC*	Female	2.70	5	185
				Total	7.66	13	170
Colon / Rectum				<u>Ovary</u>			
Male	27.18	12	44 ~-				
Female	26.96	26	96	Female	5.53	6	109
Total	54.14	38	70 #-				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	3.41	4	NC*	Male	4.61	4	NC*
Female	1.26	1	NC*	Female	5.23	3	NC*
Total	4.67	5	107	Total	9.84	7	71
Hodgkin's Disease (H	Hodgkin Lympho	oma)		<u>Prostate</u>			
Male	0.67	0	NC*	Male	60.18	95	158 ^+
Female	0.63	0	NC*				
Total	1.30	0	NC*				
Kidney & Renal Pelv	<u>is</u>			<u>Stomach</u>			
Male	5.29	7	132	Male	4.75	2	NC*
Female	3.23	5	155	Female	2.98	1	NC*
Total	8.52	12	141	Total	7.73	3	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	2.77	5	180	Male	0.77	2	NC*
Female	0.68	0	NC*				

Total	3.45	5	145				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	4.51	6	133	Male	0.78	1	NC*
Female	3.59	3	NC*	Female	1.91	0	NC*
Total	8.10	9	111	Total	2.69	1	NC*
Liver and Intrahepat	tic Bile Ducts			Uteri, Corpus and L	<u>Jterus, NOS</u>		
Male	2.23	1	NC*				
Female	1.10	1	NC*	Female	9.28	14	151
Total	3.33	2	NC*				
Lung and Bronchus				All Sites / Types			
Male	31.87	20	63 #-	Male	196.86	221	112
Female	24.63	19	77	Female	173.26	193	111
Total	56 50	39	69 #-	Total	370 12	414	112 #+

Chelmsford
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	20.84	19	91	Male	16.28	13	80
Female	7.46	7	94	Female	12.61	9	71
Total	28.31	26	92	Total	28.88	22	76
Brain and Other Ne	rvous System			Multiple Myeloma			
Male	7.50	11	147	Male	4.46	5	112
Female	5.92	4	NC*	Female	3.89	4	NC*
Total	13.42	15	112	Total	8.35	9	108
<u>Breast</u>				Non-Hodgkin('s) Ly	<u>mphoma</u>		
Male	1.10	1	NC*	Male	18.03	20	111
Female	143.88	144	100	Female	15.52	16	103
Total	144.97	145	100	Total	33.55	36	107
Cervix Uteri				Oral Cavity & Phary	<u>ynx</u>		
				Male	14.77	10	68
Female	7.85	7	89	Female	6.82	7	103
				Total	21.60	17	79
Colon / Rectum				<u>Ovary</u>			
Male	53.32	62	116				
Female	48.19	56	116	Female	16.53	25	151
Total	101.51	118	116				
Esophagus				<u>Pancreas</u>			
Male	8.36	7	84	Male	9.68	4	NC*
Female	2.30	1	NC*	Female	9.45	13	138
Total	10.67	8	75	Total	19.13	17	89
Hodgkin's Disease	(Hodgkin Lympho	<u>oma)</u>		<u>Prostate</u>			
Male	3.41	2	NC*	Male	148.08	151	102
Female	2.79	3	NC*				
Total	6.19	5	81				
Kidney & Renal Pel	<u>vis</u>			<u>Stomach</u>			
Male	13.82	20	145	Male	9.19	6	65
Female	8.25	7	85	Female	5.17	8	155
Total	22.08	27	122	Total	14.36	14	97
<u>Larynx</u>				<u>Testis</u>			

Male	7.73	7	91	Male	5.25	5	95
Female	1.95	1	NC*				
Total	9.68	8	83				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	10.92	5	46	Male	3.35	3	NC*
Female	8.43	11	131	Female	9.54	14	147
Total	19.34	16	83	Total	12.89	17	132
Liver and Intraher	atic Bile Ducts			Uteri, Corpus and U	Iterus, NOS		
Male	6.01	8	133				
Female	2.11	1	NC*	Female	27.65	26	94
Total	8.12	9	111				
Lung and Bronch	<u>us</u>			All Sites / Types			
Male	70.99	60	85	Male	462.13	450	97
Female	58.07	56	96	Female	433.70	458	106
Total	129.06	116	90	Total	895.83	908	101

Chelsea
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	16.25	10	62	Male	11.32	3	NC*
Female	5.96	4	NC*	Female	9.11	4	NC*
Total	22.21	14	63	Total	20.43	7	34 ~-
Brain and Other Ner	vous System			Multiple Myeloma			
Male	5.41	7	129	Male	3.23	8	248 #+
Female	4.57	4	NC*	Female	2.88	1	NC*
Total	9.97	11	110	Total	6.11	9	147
<u>Breast</u>				Non-Hodgkin('s) Lyı	mphoma		
Male	0.78	0	NC*	Male	13.32	14	105
Female	95.90	84	88	Female	11.90	7	59
Total	96.68	84	87	Total	25.21	21	83
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	9.41	21	223 ~+
Female	5.70	10	175	Female	4.81	4	NC*
				Total	14.22	25	176 #+
Colon / Rectum				<u>Ovary</u>			
Male	40.50	48	119				
Female	39.23	38	97	Female	11.41	13	114
Total	79.73	86	108				
Esophagus				<u>Pancreas</u>			
Male	5.61	14	249 ~+	Male	7.07	11	156
Female	1.84	4	NC*	Female	7.61	9	118
Total	7.45	18	242 ~+	Total	14.68	20	136
Hodgkin's Disease (<u>Hodgkin Lympho</u>	<u>oma)</u>		<u>Prostate</u>			
Male	2.70	2	NC*	Male	97.73	79	81
Female	2.37	1	NC*				
Total	5.07	3	NC*				
Kidney & Renal Pelv	<u>ris</u>			Stomach			
Male	9.40	13	138	Male	7.03	10	142
Female	5.83	5	86	Female	4.30	2	NC*

Total	15.23	18	118	Total	11.33	12	106
<u>Larynx</u>				<u>Testis</u>			
Male	4.91	10	204	Male	4.57	3	NC*
Female	1.25	2	NC*				
Total	6.15	12	195 #+				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	8.41	3	NC*	Male	2.30	4	NC*
Female	6.67	7	105	Female	7.12	7	98
Total	15.07	10	66	Total	9.43	11	117
Liver and Intrahepat	ic Bile Ducts			Uteri, Corpus and L	<u>Iterus, NOS</u>		
Male	4.00	6	150				
Female	1.68	3	NC*	Female	17.66	18	102
Total	5.68	9	158				
Lung and Bronchus				All Sites / Types			
Male	50.22	92	183 ^+	Male	326.94	378	116 ~+
Female	40.99	59	144 ~+	Female	312.21	318	102
Total	91.21	151	166 ^+	Total	639.15	696	109 #+

Cheshire
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	2.89	3	NC*	Male	2.05	1	NC*
Female	0.88	0	NC*	Female	1.43	0	NC*
Total	3.77	3	NC*	Total	3.48	1	NC*
Brain and Other Ner	vous System			Multiple Myeloma			
Male	0.91	2	NC*	Male	0.60	0	NC*
Female	0.68	1	NC*	Female	0.46	0	NC*
Total	1.58	3	NC*	Total	1.05	0	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyr	mphoma		
Male	0.14	0	NC*	Male	2.31	2	NC*
Female	16.43	11	67	Female	1.81	1	NC*
Total	16.58	11	66	Total	4.12	3	NC*
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	1.86	1	NC*
Female	0.88	0	NC*	Female	0.79	0	NC*
				Total	2.65	1	NC*
Colon / Rectum				<u>Ovary</u>			
Male	7.27	7	96				
Female	5.73	4	NC*	Female	1.88	2	NC*
Total	13.00	11	85				
Esophagus				<u>Pancreas</u>			
Male	1.09	1	NC*	Male	1.30	1	NC*
Female	0.27	0	NC*	Female	1.12	0	NC*
Total	1.37	1	NC*	Total	2.43	1	NC*
Hodgkin's Disease (I	Hodgkin Lympho	oma)		<u>Prostate</u>			
Male	0.37	1	NC*	Male	19.29	14	73
Female	0.31	0	NC*				
Total	0.68	1	NC*				
Kidney & Renal Pelv	<u>is</u>			<u>Stomach</u>			

Male	1.78	1	NC*	Male	1.26	1	NC*
Female	0.95	1	NC*	Female	0.61	2	NC*
Total	2.74	2	NC*	Total	1.87	3	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.99	0	NC*	Male	0.52	0	NC*
Female	0.22	1	NC*				
Total	1.21	1	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	1.41	4	NC*	Male	0.39	0	NC*
Female	0.97	0	NC*	Female	1.06	1	NC*
Total	2.38	4	NC*	Total	1.44	1	NC*
Liver and Intrahepat	ic Bile Ducts			Uteri, Corpus and L	<u> Iterus, NOS</u>		
Male	0.77	1	NC*				
Female	0.25	0	NC*	Female	3.17	3	NC*
Total	1.02	1	NC*				
Lung and Bronchus				All Sites / Types			
Male	9.41	8	85	Male	60.47	49	81
Female	6.80	9	132	Female	50.12	38	76
Total	16.21	17	105	Total	110.59	87	79 #-

ChesterExpected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	0.88	1	NC*	Male	0.70	0	NC*
Female	0.28	1	NC*	Female	0.47	0	NC*
Total	1.16	2	NC*	Total	1.17	0	NC*
Brain and Other Nerv	ous System			Multiple Myeloma			
Male	0.32	0	NC*	Male	0.19	0	NC*
Female	0.23	0	NC*	Female	0.15	0	NC*
Total	0.55	0	NC*	Total	0.34	0	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyn	<u>nphoma</u>		
Male	0.05	0	NC*	Male	0.77	1	NC*
Female	5.29	15	284 ^+	Female	0.60	0	NC*
Total	5.33	15	281 ^+	Total	1.37	1	NC*
Cervix Uteri				Oral Cavity & Pharys	<u>1X</u>		
				Male	0.63	0	NC*
Female	0.29	2	NC*	Female	0.25	0	NC*
				Total	0.88	0	NC*
Colon / Rectum				<u>Ovary</u>			
Male	2.25	2	NC*				
Female	1.84	1	NC*	Female	0.61	0	NC*
Total	4.09	3	NC*				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	0.35	1	NC*	Male	0.41	1	NC*
Female	0.09	0	NC*	Female	0.36	0	NC*
Total	0.44	1	NC*	Total	0.77	1	NC*
Hodgkin's Disease (H	odgkin Lympho	oma)		<u>Prostate</u>			
Male	0.15	0	NC*	Male	6.24	9	144
Female	0.11	0	NC*				

Total	0.26	0	NC*				
Kidney & Renal Pelvi	<u>is</u>			Stomach_			
Male	0.59	0	NC*	Male	0.39	1	NC*
Female	0.31	0	NC*	Female	0.19	0	NC*
Total	0.90	0	NC*	Total	0.58	1	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.33	0	NC*	Male	0.23	1	NC*
Female	0.07	0	NC*				
Total	0.40	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	0.47	2	NC*	Male	0.14	0	NC*
Female	0.32	0	NC*	Female	0.36	0	NC*
Total	0.79	2	NC*	Total	0.50	0	NC*
Liver and Intrahepati	c Bile Ducts			Uteri, Corpus and U	<u>terus, NOS</u>		
Male	0.26	0	NC*				
Female	0.08	0	NC*	Female	1.02	0	NC*
Total	0.34	0	NC*				
Lung and Bronchus				All Sites / Types			
Male	3.01	0	NC*	Male	19.60	19	97
Female	2.22	3	NC*	Female	16.24	25	154
Total	5.23	3	NC*	Total	35.84	44	123

Chesterfield
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR		
Bladder, Urinary				Melanoma of Skin					
Male	0.70	0	NC*	Male	0.53	0	NC*		
Female	0.20	0	NC*	Female	0.36	0	NC*		
Total	0.90	0	NC*	Total	0.89	0	NC*		
Brain and Other Nerv	ous System			Multiple Myeloma					
Male	0.24	0	NC*	Male	0.15	1	NC*		
Female	0.17	1	NC*	Female	0.10	1	NC*		
Total	0.41	1	NC*	Total	0.25	2	NC*		
<u>Breast</u>				Non-Hodgkin('s) Lymphoma					
Male	0.04	0	NC*	Male	0.59	0	NC*		
Female	4.03	3	NC*	Female	0.42	0	NC*		
Total	4.07	3	NC*	Total	1.01	0	NC*		
Cervix Uteri				Oral Cavity & Pharys	<u>1X</u>				
				Male	0.48	0	NC*		
Female	0.23	0	NC*	Female	0.19	0	NC*		
				Total	0.67	0	NC*		
Colon / Rectum				<u>Ovary</u>					
Male	1.78	0	NC*						
Female	1.27	2	NC*	Female	0.46	1	NC*		
Total	3.05	2	NC*						
<u>Esophagus</u>				<u>Pancreas</u>					
Male	0.27	1	NC*	Male	0.32	0	NC*		
Female	0.06	0	NC*	Female	0.25	0	NC*		
Total	0.33	1	NC*	Total	0.57	0	NC*		
Hodgkin's Disease (H	odgkin Lympho	oma)		<u>Prostate</u>					

Male	0.10	0	NC*	Male	4.76	5	105
Female	0.08	1	NC*				
Total	0.18	1	NC*				
Kidney & Renal Pelvis	<u>s</u>			Stomach			
Male	0.46	2	NC*	Male	0.31	0	NC*
Female	0.23	1	NC*	Female	0.14	0	NC*
Total	0.68	3	NC*	Total	0.44	0	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.25	0	NC*	Male	0.14	1	NC*
Female	0.05	0	NC*				
Total	0.30	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	0.37	1	NC*	Male	0.10	0	NC*
Female	0.23	0	NC*	Female	0.28	0	NC*
Total	0.60	1	NC*	Total	0.39	0	NC*
Liver and Intrahepation	Bile Ducts			Uteri, Corpus and Ut	terus, NOS		
Male	0.20	0	NC*				
Female	0.06	0	NC*	Female	0.77	0	NC*
Total	0.25	0	NC*				
Lung and Bronchus				All Sites / Types			
Male	2.33	1	NC*	Male	15.08	16	106
Female	1.56	1	NC*	Female	11.95	11	92
Total	3.89	2	NC*	Total	27.03	27	100

Chicopee
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		Ехр	<u>Obs</u>	<u>SIR</u>
Bladder, Urinary				Melanoma of Skin			
Male	40.77	50	123	Male	26.75	28	105
Female	17.20	18	105	Female	22.09	15	68
Total	57.97	68	117	Total	48.84	43	88
Brain and Other Ne	rvous System			Multiple Myeloma			
Male	11.84	10	84	Male	8.14	10	123
Female	10.95	18	164	Female	8.24	8	97
Total	22.79	28	123	Total	16.38	18	110
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma		
Male	1.96	2	NC*	Male	31.11	24	77
Female	253.80	256	101	Female	32.17	22	68
Total	255.76	258	101	Total	63.28	46	73 #-
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	23.19	22	95
Female	12.64	12	95	Female	13.12	10	76
				Total	36.32	32	88
Colon / Rectum				<u>Ovary</u>			
Male	101.41	91	90				
Female	112.91	108	96	Female	29.48	36	122
Total	214.32	199	93				
Esophagus				<u>Pancreas</u>			
Male	14.30	21	147	Male	17.73	22	124
Female	5.31	7	132	Female	22.09	27	122

Total	19.61	28	143	Total	39.82	49	123
Hodgkin's Diseas	se (Hodgkin Lympho	oma)		<u>Prostate</u>			
Male	4.96	0	NC*	Male	254.38	255	100
Female	4.70	7	149				
Total	9.66	7	72				
Kidney & Renal I	<u>Pelvis</u>			<u>Stomach</u>			
Male	23.21	15	65	Male	17.39	24	138
Female	15.96	11	69	Female	12.26	16	131
Total	39.17	26	66 #-	Total	29.65	40	135
<u>Larynx</u>				<u>Testis</u>			
Male	12.54	10	80	Male	7.51	10	133
Female	3.53	6	170				
Total	16.08	16	100				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	19.25	18	94	Male	4.86	4	NC*
Female	17.10	11	64	Female	14.66	7	48 #-
Total	36.35	29	80	Total	19.52	11	56
Liver and Intrahe	patic Bile Ducts			Uteri, Corpus and	Uterus, NOS		
Male	9.94	7	70				
Female	4.77	4	NC*	Female	48.36	61	126
Total	14.72	11	75				
Lung and Bronch	<u>nus</u>			All Sites / Types			
Male	128.36	148	115	Male	813.35	823	101
Female	117.23	104	89	Female	842.82	836	99
Total	245.59	252	103	Total	1656.17	1659	100

ChilmarkExpected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	0.65	2	NC*	Male	0.41	1	NC*
Female	0.19	0	NC*	Female	0.28	1	NC*
Total	0.85	2	NC*	Total	0.69	2	NC*
Brain and Other Nerv	ous System			Multiple Myeloma			
Male	0.18	0	NC*	Male	0.12	0	NC*
Female	0.14	1	NC*	Female	0.10	0	NC*
Total	0.31	1	NC*	Total	0.22	0	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyn	nphoma		
Male	0.03	0	NC*	Male	0.48	1	NC*
Female	3.20	8	250 #+	Female	0.38	1	NC*
Total	3.23	8	248 #+	Total	0.86	2	NC*
Cervix Uteri				Oral Cavity & Pharyr	<u>1X</u>		
				Male	0.36	0	NC*
Female	0.17	0	NC*	Female	0.16	0	NC*
				Total	0.52	0	NC*
Colon / Rectum				<u>Ovary</u>			
Male	1.61	2	NC*				
Female	1.28	3	NC*	Female	0.37	1	NC*
Total	2.89	5	173				
Esophagus				<u>Pancreas</u>			

Male	0.22	0	NC*	Male	0.28	0	NC*
Female	0.06	2	NC*	Female	0.25	0	NC*
Total	0.28	2	NC*	Total	0.53	0	NC*
Hodgkin's Disease	(Hodgkin Lymphon	<u>na)</u>		Prostate			
Male	0.07	0	NC*	Male	3.83	13	340 ^+
Female	0.06	0	NC*				
Total	0.13	0	NC*				
Kidney & Renal Pe	elvis			Stomach			
Male	0.35	1	NC*	Male	0.29	0	NC*
Female	0.19	0	NC*	Female	0.14	0	NC*
Total	0.54	1	NC*	Total	0.42	0	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.19	0	NC*	Male	0.11	0	NC*
Female	0.04	0	NC*				
Total	0.23	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	0.30	1	NC*	Male	0.07	0	NC*
Female	0.20	0	NC*	Female	0.20	0	NC*
Total	0.50	1	NC*	Total	0.27	0	NC*
Liver and Intrahep	atic Bile Ducts			Uteri, Corpus and U	terus, NOS		
Male	0.15	0	NC*				
Female	0.05	0	NC*	Female	0.61	0	NC*
Total	0.20	0	NC*				
Lung and Bronchu	<u>is</u>			All Sites / Types			
Male	1.93	2	NC*	Male	12.49	24	192 ~+
Female	1.37	3	NC*	Female	10.19	21	206 ~+
Total	3.31	5	151	Total	22.68	45	198 ^+

Clarksburg Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	1.42	3	NC*	Male	1.01	2	NC*
Female	0.52	0	NC*	Female	0.73	0	NC*
Total	1.94	3	NC*	Total	1.75	2	NC*
Brain and Other Nerv	ous System			Multiple Myeloma			
Male	0.45	0	NC*	Male	0.30	0	NC*
Female	0.35	0	NC*	Female	0.26	0	NC*
Total	0.80	0	NC*	Total	0.56	0	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyn	<u>nphoma</u>		
Male	0.07	0	NC*	Male	1.13	1	NC*
Female	8.71	2	NC*	Female	1.00	2	NC*
Total	8.78	2	NC*	Total	2.14	3	NC*
Cervix Uteri				Oral Cavity & Pharyr	<u>1X</u>		
				Male	0.92	1	NC*
Female	0.43	1	NC*	Female	0.43	1	NC*
				Total	1.36	2	NC*
Colon / Rectum				<u>Ovary</u>			
Male	3.59	5	139				
Female	3.40	2	NC*	Female	0.99	0	NC*

Total	6.99	7	100				
Esophagus				<u>Pancreas</u>			
Male	0.55	0	NC*	Male	0.64	1	NC*
Female	0.16	0	NC*	Female	0.67	0	NC*
Total	0.71	0	NC*	Total	1.31	1	NC*
Hodgkin's Diseas	<u>e (Hodgkin Lymphom</u>	<u>ia)</u>		<u>Prostate</u>			
Male	0.18	1	NC*	Male	9.78	7	72
Female	0.14	0	NC*				
Total	0.33	1	NC*				
Kidney & Renal P	<u>elvis</u>			Stomach			
Male	0.88	1	NC*	Male	0.62	0	NC*
Female	0.52	0	NC*	Female	0.37	0	NC*
Total	1.40	1	NC*	Total	0.98	0	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.50	0	NC*	Male	0.26	0	NC*
Female	0.12	0	NC*				
Total	0.62	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	0.69	1	NC*	Male	0.19	0	NC*
Female	0.54	1	NC*	Female	0.49	0	NC*
Total	1.23	2	NC*	Total	0.68	0	NC*
Liver and Intraher	patic Bile Ducts			Uteri, Corpus and Ut	terus, NOS		
Male	0.38	1	NC*				
Female	0.15	0	NC*	Female	1.69	2	NC*
Total	0.53	1	NC*				
Lung and Bronch	<u>us</u>			All Sites / Types			
Male	4.73	4	NC*	Male	30.17	31	103
Female	3.78	5	132	Female	27.45	17	62 #-
Total	8.51	9	106	Total	57.62	48	83

ClintonExpected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	7.82	9	115	Male	5.64	3	NC*
Female	3.39	1	NC*	Female	4.91	1	NC*
Total	11.22	10	89	Total	10.55	4	NC*
Brain and Other Ner	vous System			Multiple Myeloma			
Male	2.61	0	NC*	Male	1.59	1	NC*
Female	2.43	2	NC*	Female	1.64	2	NC*
Total	5.04	2	NC*	Total	3.23	3	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyı	mphoma		
Male	0.39	0	NC*	Male	6.49	8	123
Female	53.26	50	94	Female	6.65	6	90
Total	53.65	50	93	Total	13.14	14	107
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	4.81	6	125
Female	3.00	3	NC*	Female	2.69	1	NC*
				Total	7.51	7	93
Colon / Rectum				<u>Ovary</u>			

Male	19.65	22	112				
Female	22.39	27	121	Female	6.27	11	175
Total	42.03	49	117				
Esophagus				<u>Pancreas</u>			
Male	2.83	3	NC*	Male	3.47	4	NC*
Female	1.05	1	NC*	Female	4.35	4	NC*
Total	3.88	4	NC*	Total	7.81	8	102
Hodgkin's Diseas	<u>se (Hodgkin Lympho</u>	<u>ma)</u>		<u>Prostate</u>			
Male	1.27	2	NC*	Male	49.62	50	101
Female	1.19	1	NC*				
Total	2.46	3	NC*				
Kidney & Renal F	<u>Pelvis</u>			<u>Stomach</u>			
Male	4.72	5	106	Male	3.39	4	NC*
Female	3.26	6	184	Female	2.42	0	NC*
Total	7.99	11	138	Total	5.81	4	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	2.52	6	238	Male	2.11	0	NC*
Female	0.71	0	NC*				
Total	3.23	6	186				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	4.00	2	NC*	Male	1.14	2	NC*
Female	3.59	3	NC*	Female	3.66	4	NC*
Total	7.59	5	66	Total	4.81	6	125
Liver and Intrahe	patic Bile Ducts			Uteri, Corpus and L	<u> Iterus, NOS</u>		
Male	2.02	5	247				
Female	0.95	1	NC*	Female	9.92	8	81
Total	2.97	6	202				
Lung and Broncl	nus			All Sites / Types			
Male	24.99	26	104	Male	161.98	168	104
Female	23.43	27	115	Female	174.23	181	104
Total	48.42	53	109	Total	336.21	349	104

CohassetExpected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	5.48	8	146	Male	3.96	3	NC*
Female	2.09	3	NC*	Female	3.03	10	330 ~+
Total	7.57	11	145	Total	6.99	13	186
Brain and Other Nerv	ous System			Multiple Myeloma			
Male	1.77	5	282	Male	1.15	0	NC*
Female	1.45	0	NC*	Female	1.05	0	NC*
Total	3.22	5	155	Total	2.20	0	NC*
<u>Breast</u>				Non-Hodgkin('s) Lym	<u>nphoma</u>		
Male	0.28	1	NC*	Male	4.42	4	NC*
Female	35.70	43	120	Female	4.06	4	NC*
Total	35.97	44	122	Total	8.48	8	94
Cervix Uteri				Oral Cavity & Pharyn	<u>IX</u>		
				Male	3.66	8	219
Female	1.78	4	NC*	Female	1.76	3	NC*

				Total	5.41	11	203 #+
Colon / Rectum				<u>Ovary</u>			
Male	13.90	23	165 #+				
Female	13.56	16	118	Female	4.08	5	123
Total	27.46	39	142 #+				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	2.14	3	NC*	Male	2.50	1	NC*
Female	0.65	0	NC*	Female	2.66	0	NC*
Total	2.78	3	NC*	Total	5.16	1	NC*
Hodgkin's Disease (Hodgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	0.71	0	NC*	Male	38.21	46	120
Female	0.61	1	NC*				
Total	1.32	1	NC*				
Kidney & Renal Pelv	<u>/is</u>			<u>Stomach</u>			
Male	3.46	2	NC*	Male	2.39	1	NC*
Female	2.12	0	NC*	Female	1.48	0	NC*
Total	5.58	2	NC*	Total	3.87	1	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	1.95	2	NC*	Male	0.97	1	NC*
Female	0.49	1	NC*				
Total	2.44	3	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	2.71	2	NC*	Male	0.75	3	NC*
Female	2.21	2	NC*	Female	2.07	0	NC*
Total	4.91	4	NC*	Total	2.82	3	NC*
Liver and Intrahepat	tic Bile Ducts			Uteri, Corpus and L	<u>Jterus, NOS</u>		
Male	1.50	3	NC*				
Female	0.58	1	NC*	Female	6.91	8	116
Total	2.09	4	NC*				
Lung and Bronchus	i			All Sites / Types			
Male	18.36	15	82	Male	117.60	136	116
Female	15.21	11	72	Female	111.50	117	105
Total	33.56	26	77	Total	229.09	253	110

ColrainExpected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		Exp	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	1.17	1	NC*	Male	0.86	0	NC*
Female	0.36	0	NC*	Female	0.59	0	NC*
Total	1.53	1	NC*	Total	1.45	0	NC*
Brain and Other Nerv	ous System			Multiple Myeloma			
Male	0.40	1	NC*	Male	0.24	3	NC*
Female	0.29	0	NC*	Female	0.19	1	NC*
Total	0.68	1	NC*	Total	0.43	4	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyn	<u>nphoma</u>		
Male	0.06	0	NC*	Male	0.98	1	NC*
Female	6.73	7	104	Female	0.74	0	NC*
Total	6.79	7	103	Total	1.72	1	NC*
Cervix Uteri				Oral Cavity & Pharyr	<u>1X</u>		

				Male	0.76	0	NC*
Female	0.36	1	NC*	Female	0.32	1	NC*
				Total	1.09	1	NC*
Colon / Rectum				<u>Ovary</u>			
Male	2.95	2	NC*				
Female	2.33	5	214	Female	0.77	1	NC*
Total	5.29	7	132				
Esophagus				<u>Pancreas</u>			
Male	0.44	0	NC*	Male	0.53	1	NC*
Female	0.11	0	NC*	Female	0.45	0	NC*
Total	0.55	0	NC*	Total	0.98	1	NC*
Hodgkin's Disease	(Hodgkin Lymphon	na)		<u>Prostate</u>			
Male	0.18	0	NC*	Male	7.69	5	65
Female	0.13	0	NC*				
Total	0.31	0	NC*				
Kidney & Renal Pel	<u>vis</u>			Stomach .			
Male	0.74	0	NC*	Male	0.51	0	NC*
Female	0.39	1	NC*	Female	0.25	0	NC*
Total	1.13	1	NC*	Total	0.76	0	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.40	1	NC*	Male	0.27	0	NC*
Female	0.09	0	NC*				
Total	0.49	1	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	0.60	2	NC*	Male	0.17	0	NC*
Female	0.41	1	NC*	Female	0.44	1	NC*
Total	1.01	3	NC*	Total	0.61	1	NC*
Liver and Intrahepa	tic Bile Ducts			Uteri, Corpus and U	terus, NOS		
Male	0.32	0	NC*				
Female	0.10	0	NC*	Female	1.30	1	NC*
Total	0.42	0	NC*				
Lung and Bronchus	<u>s</u>			All Sites / Types			
Male	3.80	0	NC*	Male	24.69	18	73
Female	2.77	1	NC*	Female	20.53	23	112
Total	6.58	1	NC*	Total	45.22	41	91

ConcordExpected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	Exp	<u>Obs</u>	SIR		Exp	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	14.55	8	55	Male	10.96	19	173 #+
Female	4.60	3	NC*	Female	6.97	13	186
Total	19.15	11	57	Total	17.93	32	178 ~+
Brain and Other Nerv	ous System			Multiple Myeloma			
Male	4.87	2	NC*	Male	3.07	3	NC*
Female	3.33	4	NC*	Female	2.38	4	NC*
Total	8.20	6	73	Total	5.45	7	129
<u>Breast</u>				Non-Hodgkin('s) Lyn	nphoma		
Male	0.75	0	NC*	Male	12.18	13	107
Female	83.94	97	116	Female	9.20	14	152

Total	84.69	97	115	Total	21.38	27	126
Cervix Uteri				Oral Cavity & Phary	<u>ynx</u>		
				Male	9.91	5	50
Female	4.11	3	NC*	Female	4.06	2	NC*
				Total	13.96	7	50
Colon / Rectum				<u>Ovary</u>			
Male	37.01	24	65 #-				
Female	29.72	34	114	Female	9.52	6	63
Total	66.73	58	87				
Esophagus				<u>Pancreas</u>			
Male	5.70	5	88	Male	6.68	5	75
Female	1.42	1	NC*	Female	5.85	7	120
Total	7.12	6	84	Total	12.53	12	96
Hodgkin's Diseas	se (Hodgkin Lympho	<u>oma)</u>		<u>Prostate</u>			
Male	2.17	3	NC*	Male	100.93	89	88
Female	1.36	2	NC*				
Total	3.53	5	142				
Kidney & Renal P	<u>Pelvis</u>			<u>Stomach</u>			
Male	9.33	3	NC*	Male	6.39	4	NC*
Female	4.92	5	102	Female	3.16	4	NC*
Total	14.26	8	56	Total	9.55	8	84
<u>Larynx</u>				<u>Testis</u>			
Male	5.21	2	NC*	Male	3.35	4	NC*
Female	1.18	2	NC*				
Total	6.40	4	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	7.26	5	69	Male	2.20	1	NC*
Female	4.92	5	102	Female	4.79	2	NC*
Total	12.19	10	82	Total	6.98	3	NC*
Liver and Intrahe	patic Bile Ducts			Uteri, Corpus and L	Jterus, NOS		
Male	4.05	3	NC*				
Female	1.29	2	NC*	Female	16.46	13	79
Total	5.34	5	94				
Lung and Bronch	<u>ius</u>			All Sites / Types			
Male	48.73	26	53 ^-	Male	315.14	231	73 ^-
Female	35.48	22	62 #-	Female	256.25	263	103
Total	84.21	48	57 ^-	Total	571.39	494	86 ~-

ConwayExpected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	1.03	1	NC*	Male	0.84	1	NC*
Female	0.34	1	NC*	Female	0.61	2	NC*
Total	1.38	2	NC*	Total	1.44	3	NC*
Brain and Other Nerv	ous System			Multiple Myeloma			
Male	0.38	0	NC*	Male	0.23	0	NC*
Female	0.29	0	NC*	Female	0.18	0	NC*
Total	0.67	0	NC*	Total	0.41	0	NC*
<u>Breast</u>				Non-Hodgkin('s) Lym	nphoma		

Male	0.05	0	NC*	Male	0.91	0	NC*
Female	6.97	8	115	Female	0.72	1	NC*
Total	7.03	8	114	Total	1.63	1	NC*
Cervix Uteri				Oral Cavity & Phary	<u>'nx</u>		
				Male	0.78	1	NC*
Female	0.38	1	NC*	Female	0.33	0	NC*
				Total	1.11	1	NC*
Colon / Rectum				<u>Ovary</u>			
Male	2.65	2	NC*				
Female	2.23	3	NC*	Female	0.79	0	NC*
Total	4.88	5	103				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	0.43	0	NC*	Male	0.49	0	NC*
Female	0.11	0	NC*	Female	0.43	0	NC*
Total	0.54	0	NC*	Total	0.92	0	NC*
Hodgkin's Disease (I	<u>lodgkin Lymphon</u>	na)		<u>Prostate</u>			
Male	0.16	0	NC*	Male	7.48	6	80
Female	0.13	0	NC*				
Total	0.29	0	NC*				
Kidney & Renal Pelv	<u>is</u>			Stomach			
Male	0.72	1	NC*	Male	0.46	0	NC*
Female	0.39	0	NC*	Female	0.24	0	NC*
Total	1.11	1	NC*	Total	0.70	0	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.40	1	NC*	Male	0.22	1	NC*
Female	0.09	0	NC*				
Total	0.49	1	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	0.55	1	NC*	Male	0.17	0	NC*
Female	0.41	1	NC*	Female	0.46	1	NC*
Total	0.96	2	NC*	Total	0.63	1	NC*
Liver and Intrahepat	c Bile Ducts			Uteri, Corpus and U	Iterus, NOS		
Male	0.31	0	NC*				
Female	0.10	0	NC*	Female	1.34	0	NC*
Total	0.41	0	NC*				
Lung and Bronchus				All Sites / Types			
Male	3.54	1	NC*	Male	23.25	19	82
Female	2.68	2	NC*	Female	20.61	21	102
Total	6.21	3	NC*	Total	43.86	40	91

Cummington
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	0.61	1	NC*	Male	0.44	0	NC*
Female	0.21	0	NC*	Female	0.29	0	NC*
Total	0.82	1	NC*	Total	0.73	0	NC*
Brain and Other Nei	rvous System			Multiple Myeloma			
Male	0.20	0	NC*	Male	0.13	1	NC*
Female	0.14	0	NC*	Female	0.10	1	NC*

Total	0.34	0	NC*	Total	0.23	2	NC*
Breast				Non-Hodgkin('s) Ly			
Male	0.03	0	NC*	Male	0.50	0	NC*
Female	3.41	4	NC*	Female	0.40	0	NC*
Total	3.44	4	NC*	Total	0.90	0	NC*
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	0.39	0	NC*
Female	0.17	0	NC*	Female	0.17	1	NC*
				Total	0.56	1	NC*
Colon / Rectum				<u>Ovary</u>			
Male	1.53	2	NC*				
Female	1.37	2	NC*	Female	0.39	0	NC*
Total	2.90	4	NC*				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	0.23	0	NC*	Male	0.27	0	NC*
Female	0.06	0	NC*	Female	0.27	0	NC*
Total	0.29	0	NC*	Total	0.54	0	NC*
Hodgkin's Disease (F	lodgkin Lymphor	<u>na)</u>		<u>Prostate</u>			
Male	0.09	0	NC*	Male	3.96	3	NC*
Female	0.06	1	NC*				
Total	0.15	1	NC*				
Kidney & Renal Pelvi	<u>s</u>			<u>Stomach</u>			
Male	0.37	0	NC*	Male	0.27	0	NC*
Female	0.20	0	NC*	Female	0.15	0	NC*
Total	0.58	0	NC*	Total	0.41	0	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.20	0	NC*	Male	0.13	0	NC*
Female	0.05	0	NC*				
Total	0.25	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	0.30	1	NC*	Male	0.08	0	NC*
Female	0.22	0	NC*	Female	0.20	0	NC*
Total	0.52	1	NC*	Total	0.29	0	NC*
Liver and Intrahepati				<u>Uteri, Corpus and U</u>	terus, NOS		
Male	0.16	0	NC*				
Female	0.06	0	NC*	Female	0.65	1	NC*
Total	0.22	0	NC*				
Lung and Bronchus	4.00	•	NC*	All Sites / Types	10.5-	•	
Male	1.96	0	NC*	Male	12.67	8	63
Female	1.47	1	NC*	Female	10.85	11	101
Total	3.44	1	NC*	Total	23.52	19	81

DaltonExpected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	4.99	6	120	Male	3.48	3	NC*
Female	1.83	4	NC*	Female	2.61	2	NC*
Total	6.83	10	146	Total	6.09	5	82
Brain and Other Nerv	ous System			Multiple Myeloma			

Male	1.55	0	NC*	Male	1.02	0	NC*
Female	1.27	1	NC*	Female	0.92	1	NC*
Total	2.82	1	NC*	Total	1.93	1	NC*
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma		
Male	0.24	0	NC*	Male	3.96	3	NC*
Female	30.66	32	104	Female	3.57	5	140
Total	30.90	32	104	Total	7.53	8	106
Cervix Uteri				Oral Cavity & Phary	<u>/nx</u>		
				Male	3.11	1	NC*
Female	1.53	1	NC*	Female	1.52	1	NC*
				Total	4.63	2	NC*
Colon / Rectum				<u>Ovary</u>			
Male	12.51	12	96				
Female	11.98	13	109	Female	3.51	3	NC*
Total	24.49	25	102				
Esophagus				<u>Pancreas</u>			
Male	1.84	0	NC*	Male	2.23	1	NC*
Female	0.57	1	NC*	Female	2.34	3	NC*
Total	2.40	1	NC*	Total	4.57	4	NC*
Hodgkin's Disease (Hodgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	0.65	1	NC*	Male	32.29	31	96
Female	0.54	1	NC*				
Total	1.19	2	NC*				
Kidney & Renal Pelv	<u>/is</u>			Stomach			
Male	3.00	1	NC*	Male	2.18	1	NC*
Female	1.84	3	NC*	Female	1.29	0	NC*
Total	4.84	4	NC*	Total	3.46	1	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	1.64	0	NC*	Male	0.95	2	NC*
Female	0.42	0	NC*				
Total	2.07	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	2.44	4	NC*	Male	0.65	1	NC*
Female	1.92	0	NC*	Female	1.79	3	NC*
Total	4.36	4	NC*	Total	2.44	4	NC*
Liver and Intrahepat				Uteri, Corpus and L	<u>Jterus, NOS</u>		
Male	1.29	0	NC*				
Female	0.51	1	NC*	Female	5.92	7	118
Total	1.81	1	NC*				
Lung and Bronchus				All Sites / Types			
Male	15.94	16	100	Male	102.66	86	84
Female	13.31	17	128	Female	96.84	104	107
Total	29.26	33	113	Total	199.50	190	95

DanversExpected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	17.39	28	161 #+	Male	12.56	13	103
Female	6.81	7	103	Female	10.02	14	140

Total	24.20	35	145 #+	Total	22.59	27	120
Brain and Other N				Multiple Myeloma			
Male	5.66	5	88	Male	3.62	2	NC*
Female	4.86	4	NC*	Female	3.41	1	NC*
Total	10.52	9	86	Total	7.02	3	NC*
<u>Breast</u>				Non-Hodgkin('s) Ly			
Male	0.88	1	NC*	Male	14.17	15	106
Female	115.30	106	92	Female	13.45	15	112
Total	116.18	107	92	Total	27.62	30	109
Cervix Uteri				Oral Cavity & Phary	<u>/nx</u>		
				Male	11.24	9	80
Female	5.99	7	117	Female	5.70	8	140
				Total	16.93	17	100
Colon / Rectum				<u>Ovary</u>			
Male	44.05	50	113				
Female	44.32	46	104	Female	13.31	15	113
Total	88.37	96	109				
Esophagus				<u>Pancreas</u>			
Male	6.64	6	90	Male	7.86	10	127
Female	2.10	2	NC*	Female	8.69	11	127
Total	8.74	8	92	Total	16.55	21	127
Hodgkin's Disease	e (Hodgkin Lympho	oma)		<u>Prostate</u>			
Male	2.47	0	NC*	Male	118.79	102	86
Female	2.17	0	NC*				
Total	4.64	0	NC*				
Kidney & Renal Pe	<u>elvis</u>			Stomach			
Male	10.79	11	102	Male	7.52	4	NC*
Female	6.93	4	NC*	Female	4.76	3	NC*
Total	17.72	15	85	Total	12.28	7	57
<u>Larynx</u>				<u>Testis</u>			
Male	6.01	3	NC*	Male	3.79	2	NC*
Female	1.60	0	NC*				
Total	7.61	3	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	8.59	6	70	Male	2.46	1	NC*
Female	7.20	4	NC*	Female	7.13	7	98
Total	15.79	10	63	Total	9.59	8	83
Liver and Intrahep	atic Bile Ducts			Uteri, Corpus and L	<u>Jterus, NOS</u>		
Male	4.68	5	107				
Female	1.91	1	NC*	Female	22.14	19	86
Total	6.59	6	91				
Lung and Bronchi	<u>ıs</u>			All Sites / Types			
Male	57.88	73	126	Male	370.52	369	100
Female	49.94	57	114	Female	363.70	361	99
Total	107.82	130	121 #+	Total	734.22	730	99

Dartmouth

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000 $\,$

 Exp
 Obs
 SIR
 Exp
 Obs
 SIR

 Bladder, Urinary
 Melanoma of Skin

Male	22.21	18	81	Male	15.88	14	88
Female	8.53	4	NC*	Female	12.21	14	115
Total	30.75	22	72	Total	28.09	28	100
Brain and Other Ne	rvous System			Multiple Myeloma			
Male	7.06	8	113	Male	4.59	2	NC*
Female	5.91	5	85	Female	4.25	5	118
Total	12.97	13	100	Total	8.84	7	79
<u>Breast</u>				Non-Hodgkin('s) Ly	<u>mphoma</u>		
Male	1.10	1	NC*	Male	17.93	15	84
Female	142.94	130	91	Female	16.57	19	115
Total	144.04	131	91	Total	34.50	34	99
Cervix Uteri				Oral Cavity & Phary	<u>'nx</u>		
				Male	14.26	9	63
Female	7.17	4	NC*	Female	7.08	1	NC*
				Total	21.35	10	47 #-
Colon / Rectum				<u>Ovary</u>			
Male	55.89	60	107				
Female	55.82	38	68 #-	Female	16.36	14	86
Total	111.71	98	88				
Esophagus				<u>Pancreas</u>			
Male	8.33	5	60	Male	10.01	13	130
Female	2.64	2	NC*	Female	10.88	9	83
Total	10.97	7	64	Total	20.89	22	105
Hodgkin's Disease	(Hodgkin Lympho	oma)		<u>Prostate</u>			
Male	3.00	5	167	Male	146.51	159	109
Female	2.51	1	NC*				
Total	5.50	6	109				
Kidney & Renal Pel	<u>vis</u>			Stomach			
Male	13.66	19	139	Male	9.71	10	103
Female	8.53	6	70	Female	6.02	5	83
Total	22.19	25	113	Total	15.73	15	95
<u>Larynx</u>				<u>Testis</u>			
Male	7.51	11	146	Male	4.42	2	NC*
Female	1.96	1	NC*				
Total	9.47	12	127				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	10.95	11	100	Male	3.04	1	NC*
Female	8.97	6	67	Female	8.38	7	84
Total	19.91	17	85	Total	11.42	8	70
Liver and Intrahepa	tic Bile Ducts			Uteri, Corpus and U	Iterus, NOS		
Male	5.89	8	136				
Female	2.39	2	NC*	Female	27.54	24	87
Total	8.28	10	121				
Lung and Bronchus	<u>i</u>			All Sites / Types			
Male	71.91	53	74 #-	Male	463.81	446	96
Female	61.55	36	58 ^-	Female	450.86	364	81 ^-
Total	133.46	89	67 ^-	Total	914.67	810	89 ^-

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	17.57	24	137	Male	11.83	13	110
Female	6.63	9	136	Female	9.13	13	142
Total	24.20	33	136	Total	20.97	26	124
Brain and Other Ner	vous System			Multiple Myeloma			
Male	5.25	7	133	Male	3.53	6	170
Female	4.48	1	NC*	Female	3.26	2	NC*
Total	9.73	8	82	Total	6.79	8	118
Breast				Non-Hodgkin('s) Ly	/mphoma		
Male	0.85	0	NC*	Male	13.65	10	73
Female	105.59	113	107	Female	12.80	16	125
Total	106.44	113	106	Total	26.45	26	98
Cervix Uteri				Oral Cavity & Phary	<u>ynx</u>		
				Male	10.35	16	155
Female	5.34	4	NC*	Female	5.32	1	NC*
				Total	15.68	17	108
Colon / Rectum				<u>Ovary</u>			
Male	43.94	51	116				
Female	43.31	39	90	Female	12.21	12	98
Total	87.25	90	103				
Esophagus				Pancreas Pancreas			
Male	6.30	6	95	Male	7.72	11	142
Female	2.05	2	NC*	Female	8.50	10	118
Total	8.35	8	96	Total	16.23	21	129
Hodgkin's Disease (Prostate			
Male	2.26	4	NC*	Male	112.23	117	104
Female	1.94	3	NC*				
Total	4.21	7	166				
Kidney & Renal Pelv		•		Stomach			
Male	10.18	9	88	Male	7.56	5	66
Female	6.50	9	139	Female	4.65	4	NC*
Total	16.68	18	108	Total	12.21	9	74
Larynx				Testis		•	
Male	5.56	4	NC*	Male	3.49	5	143
Female	1.48	0	NC*		00	·	
Total	7.04	4	NC*				
<u>Leukemia</u>		·		<u>Thyroid</u>			
Male	8.36	6	72	Male	2.22	4	NC*
Female	6.77	6	89	Female	6.26	6	96
Total	15.13	12	79	Total	8.48	10	118
Liver and Intrahepat			, ,	Uteri, Corpus and U		10	
Male	4.38	3	NC*	otori, oorpao ana c	<u> </u>		
Female	1.85	4	NC*	Female	20.28	19	94
Total	6.23	7	112	i cinale	20.20	10	J- 1
Lung and Bronchus		,	112	All Sites / Types			
Male	55.95	71	127	Male	356.55	403	113 #+
Female	47.45	58	127	Female	340.75	364	107
Total	103.40	129	125 #+	Total	697.30	767	110 ~+
I Ulai	103.40	129	120 ##	IUldi	051.30	101	110~+

Deerfield Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	3.82	3	NC*	Male	2.78	2	NC*
Female	1.41	2	NC*	Female	2.10	2	NC*
Total	5.23	5	96	Total	4.88	4	NC*
Brain and Other Nerv	ous System			Multiple Myeloma			
Male	1.22	1	NC*	Male	0.79	1	NC*
Female	0.99	2	NC*	Female	0.71	0	NC*
Total	2.21	3	NC*	Total	1.50	1	NC*
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma		
Male	0.19	0	NC*	Male	3.13	2	NC*
Female	24.38	15	62	Female	2.76	2	NC*
Total	24.57	15	61	Total	5.89	4	NC*
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	2.49	0	NC*
Female	1.25	1	NC*	Female	1.19	0	NC*
				Total	3.68	0	NC*
Colon / Rectum				<u>Ovary</u>			
Male	9.60	8	83	•			
Female	9.24	6	65	Female	2.78	3	NC*
Total	18.85	14	74				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	1.43	0	NC*	Male	1.73	1	NC*
Female	0.44	0	NC*	Female	1.79	0	NC*
Total	1.87	0	NC*	Total	3.52	1	NC*
Hodgkin's Disease (F	lodgkin Lympho	oma)		<u>Prostate</u>			
Male	0.53	 1	NC*	Male	24.74	19	77
Female	0.43	0	NC*				
Total	0.96	1	NC*				
Kidney & Renal Pelvi				Stomach .			
Male	2.37	1	NC*	Male	1.69	0	NC*
Female	1.43	1	NC*	Female	1.00	0	NC*
Total	3.80	2	NC*	Total	2.68	0	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	1.29	0	NC*	Male	0.80	0	NC*
Female	0.33	0	NC*				
Total	1.62	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	1.89	3	NC*	Male	0.54	1	NC*
Female	1.50	1	NC*	Female	1.48	0	NC*
Total	3.39	4	NC*	Total	2.01	1	NC*
Liver and Intrahepati				Uteri, Corpus and U			
Male	1.02	0	NC*	<u></u>			
Female	0.40	0	NC*	Female	4.68	2	NC*
Total	1.41	0	NC*			_	
Lung and Bronchus	• •	•	•	All Sites / Types			
Male	12.22	7	57	Male	79.47	55	69 ~-
Female	10.21	11	108	Female	75.95	53	70 ~-
		• •		. 3111010			. •

Total 22.44 18 80 Total 155.42 108 69 ^-

DennisExpected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	18.70	31	166 #+	Male	10.19	15	147
Female	7.03	2	NC*	Female	7.39	16	216 ~+
Total	25.73	33	128	Total	17.58	31	176 ~+
Brain and Other Ner	vous System			Multiple Myeloma			
Male	4.09	6	147	Male	3.49	8	229
Female	3.73	6	161	Female	3.25	7	216
Total	7.82	12	153	Total	6.73	15	223 ~+
<u>Breast</u>				Non-Hodgkin('s) Ly	<u>mphoma</u>		
Male	0.80	2	NC*	Male	12.40	18	145
Female	89.82	123	137 ~+	Female	12.16	16	132
Total	90.62	125	138 ^+	Total	24.56	34	138
Cervix Uteri				Oral Cavity & Phary	<u>/nx</u>		
				Male	8.68	9	104
Female	3.78	3	NC*	Female	4.89	9	184
				Total	13.57	18	133
Colon / Rectum				<u>Ovary</u>			
Male	45.32	42	93				
Female	46.56	55	118	Female	10.29	10	97
Total	91.87	97	106				
Esophagus				<u>Pancreas</u>			
Male	5.81	7	120	Male	7.73	7	91
Female	2.18	2	NC*	Female	9.06	10	110
Total	7.99	9	113	Total	16.80	17	101
Hodgkin's Disease (I	Hodgkin Lympho	oma)		<u>Prostate</u>			
Male	1.33	1	NC*	Male	102.62	150	146 ^+
Female	1.29	1	NC*				
Total	2.63	2	NC*				
Kidney & Renal Pelv	<u>is</u>			<u>Stomach</u>			
Male	9.12	8	88	Male	7.90	8	101
Female	5.89	9	153	Female	5.11	3	NC*
Total	15.01	17	113	Total	13.02	11	85
<u>Larynx</u>				<u>Testis</u>			
Male	4.80	2	NC*	Male	1.66	0	NC*
Female	1.27	3	NC*				
Total	6.07	5	82				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	7.78	5	64	Male	1.47	1	NC*
Female	6.45	9	140	Female	3.97	2	NC*
Total	14.23	14	98	Total	5.43	3	NC*
Liver and Intrahepat	ic Bile Ducts			Uteri, Corpus and L	<u> Jterus, NOS</u>		
Male	3.86	2	NC*				
Female	1.93	3	NC*	Female	17.27	18	104
Total	5.79	5	86				
Lung and Bronchus				All Sites / Types			

Male	53.87	57	106	Male	334.75	401	120 ^+
Female	44.42	49	110	Female	313.35	393	125 ^+
Total	98.28	106	108	Total	648.10	794	123 ^+

Dighton
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	Exp	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary	LAP	<u>003</u>	OIIX	Melanoma of Skin	<u>rvh</u>	<u> </u>	<u>OIIX</u>
Male	4.14	5	121	Male	3.09	1	NC*
Female	1.41	2	NC*	Female	2.22	1	NC*
Total	5.55	7	126	Total	5.31	2	NC*
Brain and Other Ner		•		Multiple Myeloma		_	
Male	1.40	3	NC*	Male	0.86	2	NC*
Female	1.06	0	NC*	Female	0.71	1	NC*
Total	2.46	3	NC*	Total	1.58	3	NC*
<u>Breast</u>				Non-Hodgkin('s) Ly			
Male	0.21	1	NC*	Male	3.48	5	144
Female	25.34	34	134	Female	2.83	3	NC*
Total	25.54	35	137	Total	6.32	8	127
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	2.74	4	NC*
Female	1.36	2	NC*	Female	1.23	0	NC*
				Total	3.97	4	NC*
Colon / Rectum				<u>Ovary</u>			
Male	10.43	9	86				
Female	9.21	7	76	Female	2.91	4	NC*
Total	19.64	16	81				
Esophagus				<u>Pancreas</u>			
Male	1.56	1	NC*	Male	1.88	0	NC*
Female	0.44	0	NC*	Female	1.79	2	NC*
Total	2.00	1	NC*	Total	3.67	2	NC*
Hodgkin's Disease	(Hodgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	0.64	0	NC*	Male	27.10	26	96
Female	0.48	1	NC*				
Total	1.12	1	NC*				
Kidney & Renal Pel	<u>vis</u>			<u>Stomach</u>			
Male	2.62	0	NC*	Male	1.82	2	NC*
Female	1.47	2	NC*	Female	0.99	1	NC*
Total	4.09	2	NC*	Total	2.82	3	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	1.42	0	NC*	Male	0.99	1	NC*
Female	0.34	1	NC*				
Total	1.76	1	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	2.13	4	NC*	Male	0.62	1	NC*
Female	1.55	0	NC*	Female	1.63	3	NC*
Total	3.68	4	NC*	Total	2.25	4	NC*
Liver and Intrahepa	tic Bile Ducts			Uteri, Corpus and U	terus, NOS		
Male	1.12	1	NC*				
Female	0.40	1	NC*	Female	4.84	3	NC*

Total	1.52	2	NC*				
Lung and Bronchus				All Sites / Types			
Male	13.39	15	112	Male	87.40	84	96
Female	10.41	15	144	Female	78.13	85	109
Total	23.79	30	126	Total	165.53	169	102

Douglas
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	Lxpe	cteu and Observ	eu case counts, w	villi Standardized ilicidence K	alios, 1990 – 200		
	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	3.31	3	NC*	Male	2.62	3	NC*
Female	1.22	0	NC*	Female	1.97	1	NC*
Total	4.53	3	NC*	Total	4.59	4	NC*
Brain and Other Ner	vous System			Multiple Myeloma			
Male	1.24	0	NC*	Male	0.70	1	NC*
Female	0.98	2	NC*	Female	0.61	1	NC*
Total	2.22	2	NC*	Total	1.31	2	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyr	<u>nphoma</u>		
Male	0.17	0	NC*	Male	2.94	6	204
Female	21.67	24	111	Female	2.48	2	NC*
Total	21.83	24	110	Total	5.42	8	148
Cervix Uteri				Oral Cavity & Pharys	<u>nx</u>		
				Male	2.33	3	NC*
Female	1.23	1	NC*	Female	1.05	2	NC*
				Total	3.38	5	148
Colon / Rectum				<u>Ovary</u>			
Male	8.41	9	107				
Female	8.04	4	NC*	Female	2.52	1	NC*
Total	16.45	13	79				
Esophagus				<u>Pancreas</u>			
Male	1.28	0	NC*	Male	1.53	3	NC*
Female	0.38	0	NC*	Female	1.54	1	NC*
Total	1.66	0	NC*	Total	3.07	4	NC*
Hodgkin's Disease (I	Hodgkin Lympho	oma)		<u>Prostate</u>			
Male	0.60	2	NC*	Male	22.04	15	68
Female	0.48	0	NC*				
Total	1.08	2	NC*				
Kidney & Renal Pelv	<u>is</u>			<u>Stomach</u>			
Male	2.17	1	NC*	Male	1.49	1	NC*
Female	1.26	2	NC*	Female	0.87	1	NC*
Total	3.43	3	NC*	Total	2.36	2	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	1.18	1	NC*	Male	0.95	0	NC*
Female	0.28	0	NC*				
Total	1.45	1	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	1.82	3	NC*	Male	0.55	0	NC*
Female	1.42	1	NC*	Female	1.51	4	NC*
Total	3.24	4	NC*	Total	2.07	4	NC*
Liver and Intrahepat	ic Bile Ducts			Uteri, Corpus and U	terus, NOS		

Male	0.94	0	NC*				
Female	0.35	0	NC*	Female	4.07	4	NC*
Total	1.28	0	NC*				
Lung and Bronchus				All Sites / Types			
Male	10.77	6	56	Male	71.80	61	85
Female	8.75	5	57	Female	67.58	60	89
Total	19.52	11	56	Total	139.38	121	87

DoverExpected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	Exp	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	4.60	4	NC*	Male	3.29	1	NC*
Female	1.34	0	NC*	Female	2.22	4	NC*
Total	5.94	4	NC*	Total	5.50	5	91
Brain and Other Nerv	ous System			Multiple Myeloma			
Male	1.45	0	NC*	Male	0.96	1	NC*
Female	1.05	3	NC*	Female	0.72	1	NC*
Total	2.50	3	NC*	Total	1.67	2	NC*
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma		
Male	0.23	0	NC*	Male	3.66	3	NC*
Female	26.75	21	79	Female	2.78	2	NC*
Total	26.97	21	78	Total	6.44	5	78
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	3.08	1	NC*
Female	1.33	0	NC*	Female	1.26	3	NC*
				Total	4.34	4	NC*
Colon / Rectum				<u>Ovary</u>			
Male	11.65	11	94				
Female	8.60	9	105	Female	3.02	2	NC*
Total	20.25	20	99				
Esophagus				<u>Pancreas</u>			
Male	1.80	0	NC*	Male	2.11	1	NC*
Female	0.42	0	NC*	Female	1.70	1	NC*
Total	2.21	0	NC*	Total	3.80	2	NC*
Hodgkin's Disease (H	lodgkin Lympho	oma)		<u>Prostate</u>			
Male	0.55	1	NC*	Male	31.97	31	97
Female	0.44	0	NC*				
Total	0.99	1	NC*				
Kidney & Renal Pelvi				<u>Stomach</u>			
Male	2.88	1	NC*	Male	2.02	1	NC*
Female	1.53	1	NC*	Female	0.91	0	NC*
Total	4.40	2	NC*	Total	2.94	1	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	1.63	0	NC*	Male	0.72	1	NC*
Female	0.38	0	NC*				
Total	2.01	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	2.23	3	NC*	Male	0.61	0	NC*
Female	1.51	0	NC*	Female	1.57	2	NC*

Total	3.74	3	NC*	Total	2.18	2	NC*
Liver and Intrahepat	ic Bile Ducts			Uteri, Corpus and U	Iterus, NOS		
Male	1.25	1	NC*				
Female	0.38	1	NC*	Female	5.27	4	NC*
Total	1.63	2	NC*				
Lung and Bronchus				All Sites / Types			
Male	15.24	2	NC*	Male	98.00	67	68 ~-
Female	10.85	6	55	Female	79.24	64	81
Total	26.09	8	31 ^-	Total	177.24	131	74 ^-

Dracut
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	14.69	16	109	Male	11.71	5	43 #-
Female	5.57	7	126	Female	9.52	7	74
Total	20.26	23	114	Total	21.22	12	57 #-
Brain and Other Ner	vous System			Multiple Myeloma			
Male	5.56	4	NC*	Male	3.14	5	159
Female	4.60	5	109	Female	2.86	6	210
Total	10.16	9	89	Total	6.00	11	183
<u>Breast</u>				Non-Hodgkin('s) Ly	<u>mphoma</u>		
Male	0.78	1	NC*	Male	13.09	14	107
Female	104.22	84	81 #-	Female	11.75	12	102
Total	105.00	85	81	Total	24.84	26	105
Cervix Uteri				Oral Cavity & Phary	<u>'nx</u>		
				Male	10.33	12	116
Female	6.05	7	116	Female	4.99	6	120
				Total	15.33	18	117
Colon / Rectum				<u>Ovary</u>			
Male	37.53	36	96				
Female	36.18	40	111	Female	12.18	18	148
Total	73.72	76	103				
Esophagus				<u>Pancreas</u>			
Male	5.80	9	155	Male	6.79	7	103
Female	1.72	1	NC*	Female	7.08	11	155
Total	7.52	10	133	Total	13.87	18	130
Hodgkin's Disease (Hodgkin Lympho	oma)		<u>Prostate</u>			
Male	2.72	2	NC*	Male	101.72	76	75 ~-
Female	2.33	4	NC*				
Total	5.05	6	119				
Kidney & Renal Pelv	<u>vis</u>			<u>Stomach</u>			
Male	9.77	7	72	Male	6.47	5	77
Female	6.08	8	132	Female	3.86	4	NC*
Total	15.86	15	95	Total	10.33	9	87
<u>Larynx</u>				<u>Testis</u>			
Male	5.35	5	94	Male	4.44	8	180
Female	1.40	2	NC*				
Total	6.75	7	104				
<u>Leukemia</u>				<u>Thyroid</u>			

Male	8.01	8	100	Male	2.51	3	NC*
Female	6.39	7	110	Female	7.53	2	NC*
Total	14.41	15	104	Total	10.03	5	50
Liver and Intrahepat	tic Bile Ducts			Uteri, Corpus and l	Jterus, NOS		
Male	4.22	5	118				
Female	1.59	2	NC*	Female	19.71	21	107
Total	5.81	7	121				
Lung and Bronchus	i			All Sites / Types			
Male	49.54	66	133 #+	Male	325.22	310	95
Female	42.73	53	124	Female	320.34	334	104
Total	92.27	119	129 ~+	Total	645.55	644	100

DudleyExpected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
Bladder, Urinary				Melanoma of Skin			
Male	6.29	8	127	Male	4.54	1	NC*
Female	2.27	1	NC*	Female	3.49	2	NC*
Total	8.56	9	105	Total	8.03	3	NC*
Brain and Other Nerv	ous System			Multiple Myeloma			
Male	2.10	2	NC*	Male	1.29	2	NC*
Female	1.70	0	NC*	Female	1.14	0	NC*
Total	3.79	2	NC*	Total	2.44	2	NC*
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma		
Male	0.31	0	NC*	Male	5.18	3	NC*
Female	39.46	35	89	Female	4.56	7	153
Total	39.77	35	88	Total	9.74	10	103
Cervix Uteri				Oral Cavity & Phary	<u>'nx</u>		
				Male	4.02	2	NC*
Female	2.12	1	NC*	Female	1.93	0	NC*
				Total	5.95	2	NC*
Colon / Rectum				<u>Ovary</u>			
Male	15.84	19	120				
Female	14.82	13	88	Female	4.57	7	153
Total	30.66	32	104				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	2.34	3	NC*	Male	2.83	3	NC*
Female	0.70	0	NC*	Female	2.90	3	NC*
Total	3.04	3	NC*	Total	5.72	6	105
Hodgkin's Disease (H	Hodgkin Lympho	oma)		<u>Prostate</u>			
Male	0.95	2	NC*	Male	41.19	38	92
Female	0.79	1	NC*				
Total	1.73	3	NC*				
Kidney & Renal Pelv	<u>is</u>			<u>Stomach</u>			
Male	3.86	3	NC*	Male	2.75	3	NC*
Female	2.35	3	NC*	Female	1.59	2	NC*
Total	6.21	6	97	Total	4.34	5	115
<u>Larynx</u>				<u>Testis</u>			
Male	2.11	3	NC*	Male	1.46	0	NC*
Female	0.54	2	NC*				

Total	2.64	5	189				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	3.20	3	NC*	Male	0.90	1	NC*
Female	2.48	0	NC*	Female	2.56	2	NC*
Total	5.68	3	NC*	Total	3.46	3	NC*
Liver and Intrahepat	ic Bile Ducts			Uteri, Corpus and L	<u> Iterus, NOS</u>		
Male	1.66	0	NC*				
Female	0.64	2	NC*	Female	7.53	11	146
Total	2.30	2	NC*				
Lung and Bronchus				All Sites / Types			
Male	20.32	22	108	Male	131.79	129	98
Female	16.76	13	78	Female	123.69	110	89
Total	37 08	35	94	Total	255 48	239	94

Dunstable
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	Exp	<u>Obs</u>	SIR		Exp	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	1.31	0	NC*	Male	1.18	1	NC*
Female	0.39	0	NC*	Female	0.89	0	NC*
Total	1.70	0	NC*	Total	2.07	1	NC*
Brain and Other Nerv	ous System			Multiple Myeloma			
Male	0.57	2	NC*	Male	0.30	0	NC*
Female	0.41	0	NC*	Female	0.22	0	NC*
Total	0.98	2	NC*	Total	0.52	0	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyn	<u>nphoma</u>		
Male	0.07	0	NC*	Male	1.27	2	NC*
Female	9.75	5	51	Female	0.94	0	NC*
Total	9.82	5	51	Total	2.21	2	NC*
Cervix Uteri				Oral Cavity & Pharys	<u>nx</u>		
				Male	1.10	3	NC*
Female	0.59	0	NC*	Female	0.43	0	NC*
				Total	1.53	3	NC*
Colon / Rectum				<u>Ovary</u>			
Male	3.40	2	NC*				
Female	2.52	3	NC*	Female	1.12	1	NC*
Total	5.92	5	84				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	0.58	0	NC*	Male	0.64	0	NC*
Female	0.12	0	NC*	Female	0.49	0	NC*
Total	0.70	0	NC*	Total	1.13	0	NC*
Hodgkin's Disease (Hodgkin Lymphoma)				<u>Prostate</u>			
Male	0.27	0	NC*	Male	9.93	15	151
Female	0.22	0	NC*				
Total	0.49	0	NC*				
Kidney & Renal Pelvis	<u>s</u>			<u>Stomach</u>			
Male	0.98	0	NC*	Male	0.60	0	NC*
Female	0.52	0	NC*	Female	0.26	0	NC*
Total	1.50	0	NC*	Total	0.86	0	NC*
<u>Larynx</u>				<u>Testis</u>			

Male	0.55	0	NC*	Male	0.41	0	NC*
Female	0.13	0	NC*				
Total	0.68	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	0.77	0	NC*	Male	0.26	0	NC*
Female	0.53	1	NC*	Female	0.76	0	NC*
Total	1.30	1	NC*	Total	1.02	0	NC*
Liver and Intrahepatic Bile Ducts				Uteri, Corpus and Uterus, NOS			
Male	0.43	0	NC*				
Female	0.12	0	NC*	Female	1.86	2	NC*
Total	0.54	0	NC*				
Lung and Bronchus			All Sites / Types				
Male	4.62	3	NC*	Male	31.19	33	106
Female	3.48	3	NC*	Female	27.42	15	55 #-
Total	8.10	6	74	Total	58.60	48	82

DuxburyExpected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	Exp	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	9.60	9	94	Male	7.61	13	171
Female	3.46	6	173	Female	5.76	4	NC*
Total	13.06	15	115	Total	13.37	17	127
Brain and Other Nervous System				Multiple Myeloma			
Male	3.42	2	NC*	Male	2.09	3	NC*
Female	2.70	3	NC*	Female	1.82	3	NC*
Total	6.12	5	82	Total	3.92	6	153
<u>Breast</u>	<u> Breast</u>				mphoma		
Male	0.50	1	NC*	Male	8.29	5	60
Female	68.55	62	90	Female	7.08	6	85
Total	69.05	63	91	Total	15.36	11	72
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	7.16	3	NC*
Female	3.49	4	NC*	Female	3.22	2	NC*
				Total	10.39	5	48
Colon / Rectum				<u>Ovary</u>			
Male	24.55	18	73				
Female	22.57	24	106	Female	7.71	9	117
Total	47.11	42	89				
Esophagus				<u>Pancreas</u>			
Male	3.95	2	NC*	Male	4.54	3	NC*
Female	1.08	2	NC*	Female	4.36	4	NC*
Total	5.03	4	NC*	Total	8.90	7	79
Hodgkin's Disease (Hodgkin Lympho	oma)		<u>Prostate</u>			
Male	1.41	3	NC*	Male	68.97	78	113
Female	1.14	2	NC*				
Total	2.55	5	196				
Kidney & Renal Pelv	<u>is</u>			<u>Stomach</u>			
Male	6.57	5	76	Male	4.30	4	NC*
Female	3.82	8	209	Female	2.42	0	NC*

Total	10.39	13	125	Total	6.73	4	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	3.70	2	NC*	Male	1.91	5	261
Female	0.91	2	NC*				
Total	4.61	4	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	5.03	6	119	Male	1.51	0	NC*
Female	3.97	7	177	Female	4.13	6	145
Total	8.99	13	145	Total	5.64	6	106
Liver and Intrahepatic Bile Ducts				Uteri, Corpus and Uterus, NOS			
Male	2.86	1	NC*				
Female	0.98	1	NC*	Female	13.32	15	113
Total							
Tulai	3.84	2	NC*				
Lung and Bronchu		2	NC*	All Sites / Types			
		20	NC* 61 #-	All Sites / Types Male	213.86	196	92
Lung and Bronchu	<u>IS</u>				213.86 203.08	196 217	92 107